



Information for Designers

Local Design Criteria for the City of Galax

This information is provided for use by builders and designers and is in accordance with the 2018 editions of the Virginia USBC, the International Building Code, and the International Residential Code.

Residential 1 & 2 Family Construction Design Parameters

Ground Snow Load	Wind Speed MPH V ^{3s}	Seismic Design Category	Subject to Damage From				Winter Design Temp	Ice Shield Req?	Flood Hazards
			Weathering	Frost Depth	Termite	Decay			
30 psf	110	B	Severe	18"	Moderate-Heavy	Slight-Moderate	0°F	Yes	1612.1

Commercial Construction Design Parameters

Ground Snow Load	Wind Speed MPH V _{3s}	Spectral Response Acceleration		Frost Depth	Weathering	Flood Hazards
		S _s %g	S ₁ %g			
30 psf	110	28%	8%	18"	Severe	1612.1

Additional Design Information

Current Code Editions

2018 Virginia Uniform Statewide Building Code

Referenced Codes:

- 2018 International Building Code
- 2018 International Plumbing Code
- 2018 International Mechanical Code
- 2018 International Fuel Gas Code
- 2018 International Energy Conservation Code
- 2018 International Residential Code
- 2018 International Existing Building Code
- 2009 ANSI A117.1 Accessible & Usable Buildings & Facilities
- 2018 NFPA 13 Standard for the Installation of Sprinklers
- 2018 NFPA 72 National Fire Alarm Code
- 2017 NFPA 70 National Electrical Code

Miscellaneous Data

- Wind Exposure (IBC Sec. 1609.4) – Category B
- Yearly Heating Degree Days – 5,574
- Yearly Cooling Degree Days – 533
- Climate Zone – 4
- Mean Annual Temperature – 50°
- Air Freezing Index – 1000
- Latitude: 37° 8' 28" N
- Longitude: 80° 24' 28" W

Contact Information

Tom Hager, Building Official

111 East Grayson St, VA 24333

Phone: (276) 236-7297

Email: thager@galaxva.com